

CS3230 Semester 1 2024/2025
Design and Analysis of Algorithms

Tutorial 07
Greedy Algorithms
For Week 08

Document is last modified on: August 17, 2024

1 Lecture Review: Greedy Algorithms

The basic idea of Greedy Algorithms (one of the important problem-solving paradigm that we learn in CS3230) is as follow: Cast the problem where we have to make a (single) **greedy choice** and are left with **one subproblem** to solve.

1. Prove¹ that there is always an **optimal solution to the original problem that makes the greedy choice**, so the greedy choice is safe. Most of the time, we use ‘exchange argument’ here.
2. Use **optimal substructure** to show that we can combine an optimal solution to the subproblem with the greedy choice to get an optimal solution to the original problem. Most of the time, we use ‘proof by contradiction’ here.

In this tutorial, we will see a few more examples of problems that can be solved with greedy algorithms, on top of the few that we have seen in lecture.

2 Tutorial 07 Questions

Q1, Q2, and Q3). are related to the following **Burning CDs** problem:

Suppose Bob has a collection of music files that he wants to burn into CDs². Each CD has a storage capacity of 100 MB. In addition, Bob does not want to store more than two³ music files per CD. Note

¹For theory course like CS3230, this is the most important part. In programming competitions involving greedy algorithms, some teams have ‘faith’ in their ‘greedy choice’, implement it, and hopes it passes all (secret) test cases.

²If you are not sure what is this, read <https://www.wikihow.com/Burn-a-CD>.

³This is indeed a weird constraint, but it is important for this problem to be amenable to greedy solution.

that each music file cannot be split and hence cannot be burned on more than 1 CDs. Given a set A of file sizes, each smaller than 100 MB, let $MinCD(A)$ denote the minimum number of CDs required to fit the files described in A .

Q1). Which of the following correctly describes an optimal substructure property of the problem, assuming that **at least one pair of files fit into a CD**?

1. For any pair of files f_1, f_2 in A ,
 $MinCD(A) = 1 + MinCD(A \setminus \{f_1, f_2\})$
2. For any pair of files f_1, f_2 in A that belong on a single CD in an optimal solution,
 $MinCD(A) = 1 + MinCD(A \setminus \{f_1, f_2\})$
3. If f_1 and f_2 are the **largest** and **smallest** files in A ,
 $MinCD(A) = 1 + MinCD(A \setminus \{f_1, f_2\})$

Q2). Assume that any optimal solution contains a pair that is burned onto a CD. Select all **True** statements about the problem.

1. The smallest file f must be included in a pair in some optimal solution.
2. The pair $\{f_1, f_2\}$ where f_1 is the smallest file and f_2 is the largest file such that f_1 and f_2 fit onto one CD must be included in a pair in some optimal solution.
 Hence, an optimal solution with f_2 paired with the smallest file f_1 exists.
3. The pair $\{f_1, f_2\}$ where f_1 is the smallest file and f_2 is the largest file must be included in a pair in some optimal solution.

Q3). Derive the greedy algorithm for obtaining the minimum number of CDs that Bob needs to burn his music files and apply it to this array of file sizes $A = \{89, 74, 81, 12, 7, 91\}$, what is the output of $MinCD(A)$ for this test case?

Q4). details is hidden, but it involves **Activity Selection Problem**:

- You are given a set of activities $S = \{a_1, a_2, \dots, a_n\}$,
- Each activity takes place during $[s_i, f_i)$ (starting time, finishing time),
- Two activities a_i and a_j are **compatible** if their time intervals do not overlap, i.e.,
 $s_i \geq f_j$ (activity a_i starts (right) after activity a_j finishes) or
 $s_j \geq f_i$ (activity a_j starts (right) after activity a_i finishes).

Your task is to find the largest subset of mutually compatible activities.

Example: $a_1 = [3, 10), a_2 = [15, 20), a_3 = [5, 15)$, then:

$\{a_1, a_2\}$ or $\{a_2, a_3\}$ are compatible (and either are the optimal solutions).

$\{a_1, a_3\}$ is not compatible.

